

C9300-24P-A





Shop Cisco C9300-24P-A 24-Port PoE+ Switch with 4x1G uplinks. High-performance, stackable enterprise Layer 3 switch. In-stock with global shipping.



### C9300-24P-A Description

		5
$\bigcirc$		2
		2]

The Cisco C9300-24P-A is a stackable enterprise-class switch designed for access layer deployments. It features 24 PoE+ (Power over Ethernet Plus) ports, making it ideal for powering devices like IP phones, access points, and security cameras—without needing separate power supplies.

#### **Model Meaning**

Part	Meaning	Description
С	Catalyst	Cisco enterprise-class switching series
9300	Catalyst 9300 Series	Designed for enterprise access, supports both Layer 2 and Layer 3
24	124 Ports24 standard Gigabit RJ45 ports	
Р	PoE+ Support	Supports PoE+, powers devices like IP phones and access points
А	Network Advantage	Includes advanced routing, security, and segmentation features



## **Key Features**

# **Product Comparison**

Feature	С9300-24Р-А	C9300L-24P-4X-A	
Series	Catalyst 9300 (Modular, Premium)	Catalyst 9300L (Fixed uplink, Lite version)	
Ports     24 × 1G RJ45 (PoE+)     24 × 1G RJ45 (PoE+)		24 × 1G RJ45 (PoE+)	
PoE Power BudgetUp to 445W (default PSU), up to 1100W optionalFixed ~3		Fixed ~370W (non-FRU)	
UplinkModular slot (custom 1G/10G/25G)		Fixed 4 × 10G SFP+	
Stacking	StackWise-480 (modular stacking)	StackWise-320 (fixed stacking)	
License	Network Advantage (A)	Network Advantage (A)	
Fan & PSU	Field-replaceable (FRU)	Fixed fan, fixed PSU (non-modular)	
Target Use	Large enterprise, high flexibility	Cost-effective deployments with fixed needs	


#### C9300-24P-A Switch Rear Panel

The switch rear panel includes StackWise connectors, StackPower or XPS connectors, ports, fan modules, and power supply modules.

1	1 Ground connectors 7 StackPower connectors		StackPower connectors	
2	USB3.0-SSD port	8	AC OK (input) status LED	
3	3 BEACON LED 9 PS OK (output) status		PS OK (output) status LED	
4	4 CONSOLE (RJ-45 console port)		StackWise-480 port connectors	



5	MGMT (RJ-45 10/100/1000 management port)	11	Power supply modules
6	Fan modules	-	-




## **Components Delivered in the Shipping Box**

The shipping box contains the model of the switch you ordered and other components needed for installation. Some components are optional, depending on your order.

1	Cisco Catalyst 9300 Series switch with optional network module <sup>1</sup> (power supply and fan modules not shown)	9	Eight number-8 Phillips flat-head screws
2	AC power cord	10	Cable guide
3	3 Product documentation and compliance document		M4.0 x 20mm Phillips pan-head screw
4	Four rubber mounting feet	12	(Optional) RJ-45 console cable
5	Ground lug screw and ring terminal	13	(Optional) USB console cable



6	Two 19-inch mounting brackets	14	(Optional) StackWise-480/1T cable (0.5- meter, 1-meter, or 3-meter)
7	Four number-12 pan-head screws	15	(Optional) StackPower cable (0.3-meter or 1.5-meter)
8	Four number-10 pan-head screws	16	(Optional) StackWise-320 cable



# Specification

Parameter	Specification	Parameter	Specification
Model	C9300-24P-A	Switching Capacity	208 Gbps
Downlink Ports	24 × 10/100/1000 Mbps PoE+	Switching Capacity (Stack)	688 Gbps
Uplink Module Slot	$1 \times network module slot$	Forwarding Rate	154.76 Mpps
Supported NM	C9300-NM-4G/8X/2Q/4M/2Y	Forwarding Rate (Stack)	511.90 Mpps
Default PSU	715W AC (PWR-C1-715WAC-P)	Stacking Bandwidth	480 Gbps
Max PSU	1100W/1900W (optional)	Stack Members	Up to 8
Available PoE Power	445W (default), 720W (max)	PoE Standard	802.3af/at, up to 30W/port



Parameter	Specification	Parameter	Specification
Packet Buffer	16 MB	MAC Address Table	32,000
IPv4 Routes	32,000	IPv6 Routes	16,000
VLANs	4094	SVIs	1000
Jumbo Frame	9198 bytes	DRAM	8 GB
Flash Memory	16 GB	Fans	3, hot-swappable, redundant
StackPower	Supported	Redundant PSU	Supported (dual slots)
Mgmt Ports	1 x RJ45, 1 x USB-B, 1 x USB 2.0	Network OS	Cisco IOS XE
EEE	Supported	Fast/Perpetual PoE	Supported
Dimensions (H×W×D)	1.73×17.5×17.7 in	Weight	16.33 lbs (7.4 kg)
MTBF	299,000 hrs	Operating Temp	-5°C to +45°C
Acoustic Noise	45dB typ, 48dB max		

### Want to Buy

#### ORDER NOW GET A QUOTE

### Why Layer23-Switch.com

As a leading network hardware supplier, Layer23-Switch.com focuses on original new ICT equipment of Cisco, H3C, Juniper, etc.

200+ Countries we Sold

%

18,000+ Customers Trusted **\$20,000,000** Inventory Available

50%-98% Off Global List Price

**100%** Safe Online Shopping



# **Contact Us**

- WhatsApp: +8617181189993
- Wechat: 17181189993
- Email: sales@layer23-switch.com