Layer23 switch.com

PRODUCT DATASHEET
Revised October 2026

CISCO · CATALYST 9400 SWITCHES

C9400-LC-48H-B

2x48-Port 1G RJ-45 · UPOE+ 90W · Catalyst 9400 Bundle

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9400-LC-48H-B
Category	Catalyst 9400 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com

Scan for price and stock

200+	18,000+	US$9M+	3-Year
Countries Served	Customers Worldwide	Ready-Stock Inventory	Warranty



CISCO · CATALYST 9400 SWITCHES

C9400-LC-48H-B

2x48-Port 1G RJ-45 · UPOE+ 90W · Catalyst 9400 Bundle

The C9400-LC-48H-B is a Cisco Catalyst 9400 Series Bundle Select line-card bundle that supplies two C9400-LC-48H UPOE+ line cards for copper access expansion. Each card has 48 nonblocking 10/100/1000M RJ-45 ports with up to 90W per port under IEEE 802.3bt, and a C9410R holds up to 384 such ports.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Specifications

Product ID	C9400-LC-48H-B	**Product type**	Bundle Select line-card PID
Supervisor compatibility	C9400-SUP-1, C9400-SUP-1XL, C9400-SUP-1XL-Y, C9400X-SUP-2, and C9400X-SUP-2XL	**Ports per base line card**	48
Port speed	10/100/1000M	**Port type**	RJ-45 UPOE+ IEEE 802.3bt, IEEE 802.3at, IEEE 802.3af, and Cisco pre-standard
Installation slot rule	Any non-supervisor module slot	**C9404R port density**	48 / 96
C9407R port density	48 / 240	**C9410R port density**	48 / 384
Maximum bandwidth per C9400-LC-48H	48 Gbps full-duplex non-blocking traffic	**Bundle scope**	2 x C9400-LC-48H line cards
Base line card	C9400-LC-48H	**Base line-card description**	Cisco Catalyst 9400 Series 48-Port UPOE+ 10/100/1000 RJ-45 line card
C9410R 90W scale note	Up to 260 90W PoE ports from 384 on C9410R	**Full 90W scale note**	Fully loaded 90W on C9407R and C9404R
Energy efficient Ethernet	IEEE 802.3az support	**Security hardware capability**	IEEE 802.1AE MACsec-256 capability in hardware
Jumbo frames	Layer 2 to Layer 4 jumbo frame support up to 9216 bytes	**Minimum software release**	Cisco IOS XE Software Release 16.12.1 or later
Max rated power per C9400-LC-48H	65 W	**Rated MTBF per C9400-LC-48H**	874,140 hours

LAYER23 SWITCH

Get Price and Availability for C9400-LC-48H-B

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

Request a Quote

View Product Page

Email sales@layer23-switch.com WhatsApp +86 171 8118 9993 WeChat layer23-switch Telegram @layer23_switch

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH