Layer23 switch.com

PRODUCT DATASHEET
Revised October 2026

CISCO VIDEO CONFERENCING

CS-CAM-PTZ4K

20x Optical Zoom · 240x Total · Cisco PTZ 4K Camera

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	**CS-CAM-PTZ4K**
Category	**Cisco Video Conferencing**
Condition	**New, factory-sealed**
Warranty	**3-year LSCare warranty**
Supplier	**Layer23-Switch** · www.layer23-switch.com

Scan for price and stock

200+	18,000+	US$9M+	3-Year
Countries Served	Customers Worldwide	Ready-Stock Inventory	Warranty



CISCO VIDEO CONFERENCING

CS-CAM-PTZ4K

20x Optical Zoom · 240x Total · Cisco PTZ 4K Camera

The CS-CAM-PTZ4K is a Cisco PTZ 4K camera for auditoriums and large meeting rooms where participants sit far from the lens. The camera captures 3840 x 2160 at 30 fps or 1920 x 1080 at 60 fps, with 20x optical and 12x digital zoom for 240x total, a 70-degree horizontal field of view and plus or minus 170 degrees of pan.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Specifications

Product ID	CS-CAM-PTZ4K	**Cisco ordering description**	Cisco PTZ 4K Camera - SPARE
Video interface/standard	Video over HDMI 2.0	**Resolution**	1920 x 1080 at 60 fps and 3840 x 2160 at 30 fps
Optical zoom	20x	**Digital zoom**	12x
Total zoom	240x	**Pan range**	Plus or minus 170 degrees, used for manual camera control and presets
Tilt range	-20 degrees to +90 degrees, used for manual camera control and presets	**Horizontal field of view**	70 degrees
Focus distance	1.0 m to infinity at the wide end	**F-value**	2.0 to 3.8
Camera control	Visca over IP on the LAN port	**Imaging controls**	Focus, white balance and brightness each selectable as manual or automatic
Presenter tracking	Supports PresenterTrack with digital cropping, which depends on a compatible codec, software release and configuration	**Bundle membership**	Supplied as the camera in the CS-KIT-EQ-4K-K9 Room Kit EQ PTZ 4K bundle alongside CS-CODEC-EQ-K9 and CS-T10-TS-L
Qualified power supplies	Must be used with FSP040-RHAN3, Phihong POE29U-1AT(PL) or Microsemi PD-9001GR/AT/AC	**Optional power supply**	PSU-12VDC-40W2=
Power	12V at 3A, from 100 to 120 or 200 to 240 VAC at 50/60 Hz, or PoE+ compatible with IEEE 802.3at	**Dimensions**	6.3 in wide by 7.0 in high at maximum tilt by 8.0 in deep (15.8 x 17.7 x 20.0 cm)
Mounting	Available with wall mount and upside-down ceiling mount	**Mounting part numbers**	CS-PTZ4K-BRKT wall-mount bracket and CS-PTZ4K-CLNGMNT ceiling-mount bracket
Compliance model number	EVI-X200C		

LAYER23 SWITCH

Get Price and Availability for CS-CAM-PTZ4K

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

Request a Quote

View Product Page

Email sales@layer23-switch.com WhatsApp +86 171 8118 9993 WeChat layer23-switch Telegram @layer23_switch

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH