

BRAND NEW & VERIFIED



VERIFIED PRODUCT DATASHEET

FPR1010-ASA-K9

Cisco Network Hardware Specification, Availability and Quote Reference

Product Model	FPR1010-ASA-K9
Document Type	Product Datasheet
Condition	Brand New, Original and Verified
Supplier	Layer23-Switch.com

200+ Countries Sold	18,000+ Customers Trusted	\$20M Inventory Available	1-Year Warranty Support
------------------------	------------------------------	------------------------------	----------------------------

Need Price or Availability?

View product details, check stock, or request a fast quotation from Layer23-Switch.

View Product Page & Request a Quote



FPR1010-ASA-K9 Datasheet

The Cisco FPR1010-ASA-K9 datasheet provides verified specifications, key features, and application scenarios. This document helps engineers and IT buyers quickly evaluate the FPR1010-ASA-K9 and integrate it into enterprise or service provider networks with confidence.

[Read More | Quote](#)

Key Features

Branch edge stateful performance you can size to

up to 2 Gbps stateful firewall (1.4 Gbps multiprotocol) for clean perimeter enforcement at small offices and retail branches, with 25K new connections/s to absorb traffic bursts.

ASA operational model your team already knows

object-based rules, NAT/ACL workflows, local ASDM for quick changes, plus centralized policy/logging via Cisco Security Manager or cloud-delivered CDO.

Compact, quiet, and power-friendly appliance

desktop/wall form factor, fanless 0 dBA for noise-sensitive spaces, external AC PSU, and 2xPoE+ on data ports to power APs/phones/cameras directly.

VPN built for everyday operations

500 Mbps IPsec throughput and up to 75 VPN peers for resilient site-to-site and hub-and-spoke connectivity without over-engineering the branch.

Keep services online during faults


simple Active/Standby high availability and VPN load balancing to maintain access when a unit or link goes down.

Ready for real-world environments

8x1G RJ-45 data plus dedicated 1G management and USB-A; specified operating temp 0-40 °C and altitude up to 3,000 m for broad deployment conditions.

FPR1010-ASA-K9 Front View

1	Status LEDs	2	Management port
3	Lock slot	4	Power cord socket
5	Network data ports	6	Console port
7	USB Mini B port	8	USB Type A port
9	Reset button	10	Rubber feet



Specification

Parameter	Specification	Parameter	Specification
Model	FPR1010-ASA-K9 (Firepower 1010 hardware running ASA)	Form Factor	Compact desktop / wall-mount; optional rack kit
Stateful FW Throughput	Up to 2 Gbps (UDP 1500B)	FW Throughput (Multiprotocol)	Up to 1.4 Gbps
Concurrent Connections	100,000	New Connections per Second	25,000

Parameter	Specification	Parameter	Specification
IPsec VPN Throughput	Up to 500 Mbps (450B UDP L2L)	Max VPN Peers	75
High Availability	Active/Standby	Clustering	Not supported
Centralized Management	Cisco Security Manager / Cisco Defense Orchestrator	Local Management	ASDM (web-based)
Data Interfaces	8 × 1000BASE-T RJ-45	PoE Capability	2 × PoE+ (IEEE 802.3at)
Management / Console / USB	1 × 1G mgmt; RJ-45 console; 1 × USB 3.0 Type-A	Storage	200 GB internal SSD
Power Supply	External AC PSU, 100–240 V, 50–60 Hz	Max Power Draw	115 W
Operating Temp	0–40 °C (32–104 °F)	Noise	Fanless; 0 dBA
Dimensions (H×W×D)	1.82 × 7.85 × 8.07 in	Weight	3 lb (1.4 kg)

Want to Buy

[Order Now](#) [Get a Quote](#)

Why Layer23-Switch.com

As a leading network hardware supplier, Layer23-Switch.com focuses on original new ICT equipment of Cisco, H3C, Juniper, etc.

200+ Countries we Sold **18,000+** Customers Trusted **\$20,000,000** Inventory Available **50%-98%** Off Global List Price **100%** Safe Online Shopping

Contact Us

- WhatsApp: [+8617181189993](https://wa.me/8617181189993)
- Wechat: [layer23-switch](https://www.layer23-switch.com)
- Telegram: [layer23_switch](https://t.me/layer23_switch)
- Email: sales@layer23-switch.com

Need Price and Availability for FPR1010-ASA-K9?

View product details, request a quote, or check current stock from Layer23-Switch.

[View Product Details & Request a Quote](#)