

BRAND NEW & VERIFIED



VERIFIED PRODUCT DATASHEET

IE-3200-8T2S-E

Cisco Network Hardware Specification, Availability and Quote Reference

Product Model	IE-3200-8T2S-E
Document Type	Product Datasheet
Condition	Brand New, Original and Verifieded
Supplier	Layer23-Switch.com

200+ Countries Sold	18,000+ Customers Trusted	\$20M Inventory Available	1-Year Warranty Support
-------------------------------	-------------------------------------	-------------------------------------	-----------------------------------

Need Price or Availability?

View product details, check stock, or request a fast quotation from Layer23-Switch.

[**View Product Page & Request a Quote**](#)



IE-3200-8T2S-E Datasheet

The Cisco IE-3200-8T2S-E datasheet provides verified specifications, key features, and application scenarios. This document helps engineers and IT buyers quickly evaluate the IE-3200-8T2S-E and integrate it into enterprise or service provider networks with confidence.


[Read More](#) | [Quote](#)

Key Features

IE-3200-8T2S-E Front Panel Overview

The illustrations in this section provide an overview of the variety of components available on the various switch models in this product family. Not all models are illustrated.

1	10/100/1000 Copper Ethernet ports (downlink ports)	7	Flash memory card slot
2	Power connector DC-B	8	SFP module slots (uplink ports)
3	Power connector DC-A	9	USB mini-Type B (console) port
4	Protective ground connection	10	RJ-45 console port
5	Alarm connector	11	USB mini-Type A port
6	10/100/1000 Copper Ethernet ports (downlink ports)		



Specification

Parameter	Details	Parameter	Details
Product SKU	IE-3200-8T2S-E	Product Description	Catalyst IE3200 with 8 GE Copper and 2 GE SFP, Fixed System, Network Essentials
Product Series	Cisco Catalyst IE3200 Rugged Series	Default License	Network Essentials
Total Ports	10	RJ45 Copper Ports	8 × 10/100/1000
SFP Ports	2 × 100/1000	PoE Support	No
Forwarding Rate	Line rate for all ports and all packet sizes	Number of Queues	8
Unicast MAC Addresses	8K	IGMP Multicast Groups	1K
VLANs	256	STP Instances	128
Access Control Entries	3K PACL/VAACL/RACL	DRAM	2 GB

Parameter	Details	Parameter	Details
Flash	1.5 GB user accessible	SD Card Capacity	4 GB / 16 GB optional
Jumbo Frames	8996 bytes	Removable Storage	USB and SD card optional
Alarm I/O	2 alarm inputs, 1 alarm output	Console Ports	1 RS-232 via RJ-45, 1 USB Mini Type B
Power Inputs	Dual DC power inputs	Input Voltage Range	9.6 to 60 VDC
Maximum Input Current	2.4A	Power Consumption	23W
Mounting	DIN rail	Dimensions	6.0 × 3.6 × 5.3 in. / 15.2 × 9.1 × 13.5 cm
Weight	3.8 lb / 1.7 kg	MTBF	641,150 hours
IEEE Standards	IEEE 802.1D, 802.1p, 802.1q, 802.1s, 802.1w, 802.1x, 802.1AB, 802.3ad, 802.3x, 802.3, 802.3u, 802.3ab, 802.3z	Warranty	Five-year limited hardware warranty

Want to Buy

[Order Now](#) [Get a Quote](#)

Why Layer23-Switch.com

As a leading network hardware supplier, Layer23-Switch.com focuses on original new ICT equipment of Cisco, H3C, Juniper, etc.

200+ Countries we Sold
18,000+ Customers Trusted
\$20,000,000 Inventory Available
50%-98% Off Global List Price
100% Safe Online Shopping

Contact Us

- WhatsApp: [+8617181189993](tel:+8617181189993)
- Wechat: [layer23-switch](#)
- Telegram: [layer23_switch](#)
- Email: sales@layer23-switch.com

Need Price and Availability for IE-3200-8T2S-E?

View product details, request a quote, or check current stock from Layer23-Switch.

[View Product Details & Request a Quote](#)