

BRAND NEW & VERIFIED



VERIFIED PRODUCT DATASHEET

IE-3300-8T2X-E

Cisco Network Hardware Specification, Availability and Quote Reference

Product Model	IE-3300-8T2X-E
Document Type	Product Datasheet
Condition	Brand New, Original and Verifieded
Supplier	Layer23-Switch.com

200+ Countries Sold	18,000+ Customers Trusted	\$20M Inventory Available	1-Year Warranty Support
-------------------------------	-------------------------------------	-------------------------------------	-----------------------------------

Need Price or Availability?


View product details, check stock, or request a fast quotation from Layer23-Switch.

[View Product Page & Request a Quote](#)

IE-3300-8T2X-E Datasheet

The Cisco IE-3300-8T2X-E datasheet provides verified specifications, key features, and application scenarios. This document helps engineers and IT buyers quickly evaluate the IE-3300-8T2X-E and integrate it into enterprise or service provider networks with confidence.

[Read More](#) | [Quote](#)




Key Features

IE-3300-8T2X-E Front Panel Overview

The illustrations in this section provide an overview of the variety of components available on the various switch models in this product family. Not all models are illustrated.

1	10/100/1000 Copper Ethernet ports (downlink ports)	7	Flash memory card slot
2	Power connector DC-B	8	SFP module slots (uplink ports)
3	Power connector DC-A	9	USB mini-Type B (console) port
4	Protective ground connection	10	RJ-45 console port
5	Alarm connector	11	USB mini-Type A port
6	10/100/1000 Copper Ethernet ports (downlink ports)		



Specification

IE-3300-8T2X-E Detailed Specifications	
Total Ports	10 (8×1G Copper, 2×10G SFP+)
CPU / OS	Cisco IOS XE, 4-core ARM
DRAM	4 GB
User Flash	1.5 GB
Forwarding Rate	Line rate for all packet sizes
Egress Queues / Port	8
MAC Address Table	16 K entries
IPv4 Routes (Indirect)	3 000
IPv6 Routes (Indirect)	512
PTP Profiles	IEEE 1588v2 Default & Power
Multicast Groups	1 K IGMP snooping
STP Instances	128 MST/RSTP

IE-3300-8T2X-E Detailed Specifications	
REP / MRP Support	Yes
QoS	Ingress policing, egress shaping
Security	MACsec-128, 802.1X, ACLs
Management	WebUI, CLI, NETCONF, RESTCONF
Input Voltage	9.6 - 60 V DC (dual)
Typical Power	28 W @ 12 V
Operating Temperature	-40 °C - +75 °C
Dimensions	15.2 × 9.7 × 13.5 cm
Weight	1.6 kg
Compliance	IEC 61850-3, EN 50121-4
MTBF	≈ 463 000 h (Telcordia)

Want to Buy

[Order Now](#) [Get a Quote](#)

Why Layer23-Switch.com

As a leading network hardware supplier, Layer23-Switch.com focuses on original new ICT equipment of Cisco, H3C, Juniper, etc.

200+ Countries we Sold
18,000+ Customers Trusted
\$20,000,000 Inventory Available
50%-98% Off Global List Price
100% Safe Online Shopping

Contact Us

- WhatsApp: [+8617181189993](tel:+8617181189993)
- Wechat: [layer23-switch](https://www.wechat.com/qrcode/index?qr=layer23-switch)
- Telegram: [layer23_switch](https://t.me/layer23_switch)
- Email: sales@layer23-switch.com

Need Price and Availability for IE-3300-8T2X-E?

View product details, request a quote, or check current stock from Layer23-Switch.

[View Product Details & Request a Quote](#)