

BRAND NEW & VERIFIED



VERIFIED PRODUCT DATASHEET

IE-3400-8P2S-E

Cisco Network Hardware Specification, Availability and Quote Reference

| | |
|----------------------|-----------------------------------------|
| Product Model | IE-3400-8P2S-E |
| Document Type | Product Datasheet |
| Condition | Brand New, Original and Verified |
| Supplier | Layer23-Switch.com |

| | | | |
|-------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|
| 200+ Countries Sold | 18,000+ Customers Trusted | \$20M Inventory Available | 1-Year Warranty Support |
|-------------------------------|-------------------------------------|-------------------------------------|-----------------------------------|

Need Price or Availability?

View product details, check stock, or request a fast quotation from Layer23-Switch.

[View Product Page & Request a Quote](#)



IE-3400-8P2S-E Datasheet

The Cisco IE-3400-8P2S-E datasheet provides verified specifications, key features, and application scenarios. This document helps engineers and IT buyers quickly evaluate the IE-3400-8P2S-E and integrate it into enterprise or service provider networks with confidence.


[Read More](#) | [Quote](#)

Key Features

IE-3400-8P2S-E Front Panel Overview

The illustrations in this section provide an overview of the variety of components available on the various switch models in this product family. Not all models are illustrated.

| | | | |
|---|----------------------------------------------------|----|---------------------------------|
| 1 | 10/100/1000 Copper Ethernet ports (downlink ports) | 7 | Flash memory card slot |
| 2 | Power connector DC-B | 8 | SFP module slots (uplink ports) |
| 3 | Power connector DC-A | 9 | USB mini-Type B (console) port |
| 4 | Protective ground connection | 10 | RJ-45 console port |
| 5 | Alarm connector | 11 | USB mini-Type A port |
| 6 | 10/100/1000 Copper Ethernet ports (downlink ports) | | |



Specification

| Parameter | IE-3400-8P2S-E Specification |
|------------------------------|------------------------------------------------------|
| CPU & DRAM | Dual-core ARM CPU, 4 GB DRAM |
| Flash | 1.5 GB user-accessible |
| SD Card | 4 GB or 16 GB (optional) |
| Ethernet Ports | 8 × 10/100/1000 PoE/PoE+ RJ-45 (IEEE 802.3at) |
| SFP Uplinks | 2 × 1 Gbps SFP with DDM support |
| Switching Capacity | 20 Gbps nonblocking |
| Forwarding Rate | Line rate (all ports, all packet sizes) |
| MAC Address Table | 16 000 entries |
| VLANs Supported | 256 |
| ACL Entries (PACL/RACL/VACL) | 3 024 total |
| PoE Budget (Base) | 240 W (no expansion) |
| Input Voltage Range | Redundant DC 9.6 - 60 VDC (54 VDC required for PoE+) |

| Parameter | IE-3400-8P2S-E Specification |
|-------------------------------|-----------------------------------|
| Input Current | 10.6 A (at 54 VDC for PoE+) |
| Power Consumption (Excl. PoE) | 47 W |
| Operating Temperature | -40 °C to 75 °C |
| MTBF | 401 313 hours (Telcordia Issue 3) |
| Dimensions (H x W x D) | 15.2 cm x 9.1 cm x 13.5 cm |
| Weight | 3.6 lbs (1.6 kg) |

Want to Buy

[Order Now](#) [Get a Quote](#)

Why Layer23-Switch.com

As a leading network hardware supplier, Layer23-Switch.com focuses on original new ICT equipment of Cisco, H3C, Juniper, etc.

200+ Countries we Sold **18,000+** Customers Trusted **\$20,000,000** Inventory Available **50%-98%** Off Global List Price **100%** Safe Online Shopping

Contact Us

- WhatsApp: [+8617181189993](https://wa.me/8617181189993)
- Wechat: [layer23-switch](https://weixin.qq.com/q/layer23-switch)
- Telegram: [layer23_switch](https://t.me/layer23_switch)
- Email: sales@layer23-switch.com

Need Price and Availability for IE-3400-8P2S-E?

View product details, request a quote, or check current stock from Layer23-Switch.

[View Product Details & Request a Quote](#)