

CISCO · CATALYST 1300 SWITCHES

C1300-48T-4G

48x1G Data Ports · 4x1G SFP Uplinks · Non-PoE Access Switch

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C1300-48T-4G
Category	Catalyst 1300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 1300 SWITCHES

C1300-48T-4G

48x1G Data Ports · 4x1G SFP Uplinks · Non-PoE Access Switch

C1300-48T-4G is a Cisco Catalyst 1300 Series managed Gigabit Ethernet switch for campus and branch access networks that need a high-density data-only access layer.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	C1300-48T-4G	Product type	Managed Gigabit Ethernet data switch
Downlink ports	48 x 10/100/1000 RJ45 data ports	Uplink interfaces	4 x Gigabit SFP
Total system ports	52 x Gigabit Ethernet	PoE role	Data-only model with no PoE output budget
Stacking	Not stackable in Cisco model comparison	Switching capacity	104.0 Gbps
Forwarding rate	77.38 Mpps	Packet buffer	1.5 MB
Management	Cisco Business Dashboard, Cisco Business mobile app, web UI, CLI, SNMP	Feature set	Layer 2 switching, VLAN, STP, QoS, sFlow, dynamic routing
Console ports	Cisco standard RJ-45 console port and USB Type C port	Flash	1GB SLC
CPU	ARM dual-core at 1.5 GHz	DRAM	1 GB DDR4 for C1300
Power supply	Internal universal AC	AC input	100 to 240V, 50 to 60 Hz
Fan count	1	Acoustic noise	29.7 dBA at 25 C
MTBF	1,473,382 hours at 25 C	Chassis size	17.49 x 11.33 x 1.73 in
Unit weight	3.95 kg (8.71 lb)	Operating temperature	23 to 122 F (-5 to 50 C)
Storage temperature	-13 to 158 F (-25 to 70 C)	Package contents	Switch, power cord, mounting kit, pointer card
Rack kit scope	19-in mounting brackets included for 24/48-port models		

Optional Add-ons

Add-on	Cisco PID	Purpose
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM

Get Price and Availability for C1300-48T-4G

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.whatsapp.com/channel/0025-v30711111111111111111) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH