

CISCO · CATALYST 9200 SWITCHES

C9200L-48PXG-4X-A

12xmGig plus 36x1G PoE+ Ports · 4x10G SFP+ Uplinks · 740W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9200L-48PXG-4X-A
Category	Catalyst 9200 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9200 SWITCHES

C9200L-48PXG-4X-A

12xmGig plus 36x1G PoE+ Ports · 4x10G SFP+ Uplinks · 740W PoE Budget

C9200L-48PXG-4X-A is a Cisco Catalyst 9200L fixed-uplink stackable access switch for campus access layers that need multigigabit PoE+ at the edge and 10G fiber uplinks to aggregation.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Ordering note C9200L-48PXG-4X-A is ordered with a mandatory 3-year Cisco DNA Advantage subscription (C9200-DNA-A). We include it in your quote.

Specifications

Product ID	C9200L-48PXG-4X-A	Product type	Fixed-uplink stackable access switch
Network license	Network Advantage	Access port layout	12 x mGig PoE+ ports and 36 x 1G PoE+ ports
Multigigabit ports	12 ports up to 10G	1G access ports	36 x 1G PoE+ ports
Fixed uplinks	4 x 10G SFP+ fixed uplink ports	Modular uplinks	No modular uplink network modules on C9200L fixed-uplink models
Power supply slots	2 slots	Default power supply	PWR-C5-1KWAC
PoE standard	IEEE 802.3at PoE+ up to 30W per port	Default PoE budget	740W with PWR-C5-1KWAC
Expanded PoE budget	1440W with second PWR-C5-1KWAC	Optional DC power supply	PWR-C5-715WDC= spare supported on C9200L PoE models with IOS XE 17.8.1 and later
Fan design	2 fixed fans	Stacking architecture	StackWise-80
Stack bandwidth	80 Gbps	Maximum stack members	Up to 8 C9200L members at the same license level
Switching capacity	392 Gbps standalone; 472 Gbps with stacking	Forwarding rate	291.66 Mpps standalone; 351 Mpps with stacking
Introductory release	Cisco IOS XE Gibraltar 16.11.1	Smart Licensing	Requires a Cisco Smart Account for license use
DRAM	2 GB	Flash	4 GB
Packet buffer	12 MB for 24- or 48-port multigigabit models	Flexible NetFlow entries	32,000 flows on 24- and 48-port multigigabit models
VLAN IDs	4094	Jumbo frames	9198 bytes
Chassis dimensions	1.73 x 17.5 x 13.8 in. (4.4 x 44.5 x 35 cm)	Installed dimensions	1.73 x 17.5 x 15.4 in. (4.4 x 44.5 x 39.1 cm)
Weight	12.6 lb (5.71 kg) with one power supply installed	MTBF	337,360 hours

Optional Add-ons

Add-on	Cisco PID	Purpose
Power Supply / Fan	PWR-C5-1KWAC	1KW AC PSU - Catalyst 9200L 48-Port PoE
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM
Optics	GLC-EX-SMD	1000BASE-EX SFP - 40km SMF - DOM
Cable / Stacking Kit	C9200L-STACK-KIT	StackWise-80 Bandwidth - 2 Adapters and Cable - Catalyst 9200L Stack Kit
Cable / Stacking Kit	STACK-T4-50CM	0.5m StackWise Cable - Catalyst 9200 / 9300
Cable / Stacking Kit	STACK-T4-1M	1m StackWise Cable - Catalyst 9200 / 9300
Cable / Stacking Kit	STACK-T4-3M	3m StackWise Cable - Catalyst 9200 / 9300

Get Price and Availability for C9200L-48PXG-4X-A

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp +86 171 8118 9993 WeChat [layer23-switch](#) Telegram [@layer23_switch](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.