

CISCO · CATALYST 9300 SWITCHES

C9300-24U-A

24x1G UPOE Ports · Modular Uplink · 830W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300-24U-A
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300-24U-A

24x1G UPOE Ports · Modular Uplink · 830W PoE Budget

Cisco C9300-24U-A is a Cisco Catalyst 9300 stackable access switch for campus edge deployments that need 24 10/100/1000 UPOE copper downlinks for high-power endpoints while keeping uplinks modular; it ships with Network Advantage, uses the modular-uplink C9300 hardware profile, provides an 830W PoE budget with the default 1100W AC power supply, and supports StackWise-480 and StackPower for multi-switch access-stack designs.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Ordering note C9300-24U-A is ordered with a mandatory 3-year Cisco DNA Advantage subscription (C9300-DNA-A). We include it in your quote.

Specifications

Product ID	C9300-24U-A	Product type	Stackable access switch with modular uplinks
Network license	Network Advantage	Access ports	24 x 10/100/1000 Cisco UPOE copper ports
Default PoE budget	830W	Default power supply	PWR-C1-1100WAC-P
Minimum software release	Cisco IOS XE Everest 16.5.1a	Power supply slots	2 internal power supply module slots
Uplink architecture	Optional hot-swappable Cisco Catalyst 9300 network module	Network module included	Default switch configuration does not include the network module
Supported network modules	C9300-NM-4G, C9300-NM-8X, C9300-NM-2Q, C9300-NM-2Y, C9300-NM-4M	Fan modules	3 field-replaceable fans
Stacking architecture	StackWise-480	StackPower	Supported
Switching capacity	208 Gbps standalone	Switching capacity with stacking	688 Gbps
Forwarding rate	154.76 Mpps standalone	Forwarding rate with stacking	511.90 Mpps
DRAM	8 GB	Flash	16 GB
MAC addresses	32,000	IPv4 routes	32,000
VLAN IDs	4094	Jumbo frames	9198 bytes
Dimensions	1.73 x 17.5 x 19.2 in. (4.4 x 44.5 x 48.8 cm)	Weight	16.63 lb (7.54 kg)

Optional Add-ons

Add-on	Cisco PID	Purpose
Network Module	C9300-NM-2Y	2x25G/10G/1G SFP28 Ports - Catalyst 9300 Module
Network Module	C9300-NM-2Q	2x40G QSFP+ Uplinks - Catalyst 9300 Module
Network Module	C9300-NM-4G	4x1GE SFP Ports - Catalyst 9300 Module
Network Module	C9300-NM-4M	4x10G/mGig Copper Ports - Catalyst 9300 Module
Network Module	C9300-NM-8X	8x10G/1G SFP+ Uplinks - Network Module - Catalyst 9300
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated
Power Supply / Fan	PWR-C1-1900WAC-P	1900W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-25G-SR-S	25GBASE-SR SFP28 - 850nm MMF - 100m OM4
Optics	SFP-10/25G-LR-S	10/25GBASE-LR SFP28 - 10 km G.652 SMF - 0 to 70°C Commercial Temperature
Optics	QSFP-40G-SR4	40G SR4 QSFP - MPO-12 MMF - 4x10G Breakout
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach

Get Price and Availability for C9300-24U-A

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.layer23-switch.com) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.