

CISCO · CATALYST 9300 SWITCHES

C9300-24UX-E

24x10G mGig UPOE Ports · Modular Uplink · 560W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300-24UX-E
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300-24UX-E

24x10G mGig UPOE Ports · Modular Uplink · 560W PoE Budget

The C9300-24UX-E is a Cisco Catalyst 9300 Series stackable access switch for wiring closets that power Wi-Fi 6E access points and cameras over multigigabit copper. The switch has 24 multigigabit UPOE ports from 100 Mbps to 10G, a modular uplink slot, 640 Gbps of switching capacity and a 560W PoE budget on the default 1100W supply, and the license tier is Network Essentials.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Ordering note C9300-24UX-E is ordered with a mandatory 3-year Cisco DNA Essentials subscription (C9300-DNA-E). We include it in your quote.

Specifications

Product ID	C9300-24UX-E	Product type	Stackable access switch with modular uplinks
Network license	Network Essentials	Downlink ports	24 x 10G/5G/2.5G/1G/100M multigigabit Cisco UPOE copper ports
PoE class	Cisco UPOE up to 60W per port	Uplink architecture	Optional hot-swappable C9300 network modules
Supported C9300 network modules	C9300-NM-4G, C9300-NM-4M, C9300-NM-8X, C9300-NM-2Q, C9300-NM-2Y	Default power supply	PWR-C1-1100WAC-P
Default PoE budget	560W	PoE with 715W secondary supply	1275W
PoE with 1100W secondary supply	1440W maximum by port rating	Power supply design	Dual redundant power supplies supported; one supply ships by default
Fan modules	3 field-replaceable fans	Stacking architecture	StackWise-480
Stack bandwidth	480 Gbps	StackPower	Supported on C9300 modular uplink SKUs
Minimum software release	Cisco IOS XE Everest 16.6.1	Switching capacity	640 Gbps standalone
Switching capacity with stacking	1,120 Gbps	Forwarding rate	476.19 Mpps standalone
Forwarding rate with stacking	833.33 Mpps	Packet buffer	32 MB for Catalyst 9300 24- and 48-port Multigigabit models
DRAM	8 GB	Flash	16 GB
VLAN IDs	4094	Jumbo frames	9198 bytes
Dimensions	1.73 x 17.5 x 20.2 in. (4.4 x 44.5 x 51.3 cm)	Weight	8.25 kg (18.18 lb)
Power supply input	PWR-C1-1100WAC-P supports 115 to 240 VAC autoranging		

Optional Add-ons

Add-on	Cisco PID	Purpose
Network Module	C9300-NM-2Y	2x25G/10G/1G SFP28 Ports - Catalyst 9300 Module
Network Module	C9300-NM-2Q	2x40G QSFP+ Uplinks - Catalyst 9300 Module
Network Module	C9300-NM-4G	4x1GE SFP Ports - Catalyst 9300 Module
Network Module	C9300-NM-4M	4x10G/mGig Copper Ports - Catalyst 9300 Module
Network Module	C9300-NM-8X	8x10G/1G SFP+ Uplinks - Network Module - Catalyst 9300
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated
Power Supply / Fan	PWR-C1-1900WAC-P	1900W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-25G-SR-S	25GBASE-SR SFP28 - 850nm MMF - 100m OM4
Optics	SFP-10/25G-LR-S	10/25GBASE-LR SFP28 - 10 km G.652 SMF - 0 to 70°C Commercial Temperature
Optics	QSFP-40G-SR4	40G SR4 QSFP - MPO-12 MMF - 4x10G Breakout
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach

Get Price and Availability for C9300-24UX-E

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp +86 171 8118 9993 WeChat [layer23-switch](#) Telegram [@layer23_switch](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.