

CISCO · CATALYST 9300 SWITCHES

C9300-24UXB-A

24x10G mGig UPOE Ports · Higher-Scale Buffer · 560W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300-24UXB-A
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300-24UXB-A

24x10G mGig UPOE Ports · Higher-Scale Buffer · 560W PoE Budget

C9300-24UXB-A is a Cisco Catalyst 9300 Series higher-scale stackable access switch for campus access networks that need dense multigigabit copper connectivity and Network Advantage software.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Ordering note C9300-24UXB-A is ordered with a mandatory 3-year Cisco DNA Advantage subscription (C9300-DNA-A). We include it in your quote.

Specifications

Product ID	C9300-24UXB-A	Product type	Higher-scale stackable access switch with modular uplinks
Network license	Network Advantage	Access ports	24 x 100M/1G/2.5G/5G/10G multigigabit Cisco UPOE copper ports
Scale profile	Catalyst 9300 higher-scale model	Default power supply	PWR-C1-1100WAC-P
Default PoE budget	560W	PoE with 350W secondary supply	910W
PoE with 715W secondary supply	1275W	PoE with 1100W secondary supply	1440W maximum by port rating
Uplink architecture	Optional field-replaceable C9300 network module	Supported network modules	C9300-NM-4G, C9300-NM-8X, C9300-NM-2Q, C9300-NM-2Y, C9300-NM-4M
Stacking architecture	StackWise-480	Stack members	Higher-scale C9300 models only
Stack bandwidth	480 Gbps	StackPower	Supported
Minimum software release	Cisco IOS XE Gibraltar 16.12.1	Packet buffer	64 MB
FNF entries	256,000 flows for higher-scale 24-port Multigigabit models	MAC addresses	64,000
IPv4 routes	112,000 total routes	IPv6 routing entries	56,000
Multicast routing scale	16,000	QoS scale entries	18,000
ACL scale entries	18,000	DRAM	8 GB
Flash	16 GB	VLAN IDs	4094
Jumbo frames	9198 bytes	Switching capacity	640 Gbps standalone
Switching capacity with stacking	1120 Gbps	Forwarding rate	476.19 Mpps standalone
Forwarding rate with stacking	833.33 Mpps	Dimensions	1.73 x 17.5 x 20.2 in. (4.4 x 44.5 x 51.3 cm)
Power supply input	PWR-C1-1100WAC-P supports 115 to 240 VAC autoranging	UPOE support	Type 1, Type 2, Type 3, and Cisco UPOE powered devices up to 60W per port

Optional Add-ons

Add-on	Cisco PID	Purpose
Network Module	C9300-NM-2Y	2x25G/10G/1G SFP28 Ports - Catalyst 9300 Module
Network Module	C9300-NM-2Q	2x40G QSFP+ Uplinks - Catalyst 9300 Module
Network Module	C9300-NM-4G	4x1GE SFP Ports - Catalyst 9300 Module
Network Module	C9300-NM-4M	4x10G/mGig Copper Ports - Catalyst 9300 Module
Network Module	C9300-NM-8X	8x10G/1G SFP+ Uplinks - Network Module - Catalyst 9300
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-25G-SR-S	25GBASE-SR SFP28 - 850nm MMF - 100m OM4
Optics	SFP-10/25G-LR-S	10/25GBASE-LR SFP28 - 10 km G.652 SMF - 0 to 70°C Commercial Temperature
Optics	QSFP-40G-SR4	40G SR4 QSFP - MPO-12 MMF - 4x10G Breakout
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM

Get Price and Availability for C9300-24UXB-A

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp +86 171 8118 9993 WeChat [layer23-switch](#) Telegram [@layer23_switch](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.