

CISCO · CATALYST 9300 SWITCHES

C9300-48H-E

48x1G UPOE+ Ports · Modular Uplink · 822W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300-48H-E
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300-48H-E

48x1G UPOE+ Ports · Modular Uplink · 822W PoE Budget

C9300-48H-E is a Cisco Catalyst 9300 Series stackable access switch for high-power campus access closets, with 48 10/100/1000 Mbps UPOE+ copper ports, a modular uplink slot, Network Essentials, StackWise-480 stacking, StackPower support, and an 822W default PoE budget from the PWR-C1-1100WAC-P supply.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Ordering note C9300-48H-E is ordered with a mandatory 3-year Cisco DNA Essentials subscription (C9300-DNA-E). We include it in your quote.

Specifications

Product ID	C9300-48H-E	Product type	Stackable access switch with modular uplinks
Network license	Network Essentials	Access ports	48 x 10/100/1000 Mbps UPOE+ copper ports
Uplink architecture	Optional field-replaceable C9300 network module	Default power supply	PWR-C1-1100WAC-P
Default PoE budget	822W	PoE with 350W secondary supply	1172W
PoE with 715W secondary supply	1537W	PoE with 1100W secondary supply	1922W
Maximum UPOE+ power planning value	2880W with configured power supplies	Supported network modules	C9300-NM-4G, C9300-NM-8X, C9300-NM-2Q, C9300-NM-2Y, C9300-NM-4M
Stacking architecture	StackWise-480	Stack bandwidth	480 Gbps
StackPower	Supported	Minimum software release	Cisco IOS XE Amsterdam 17.2.1
Packet buffer	16 MB for 24- and 48-port Gigabit Ethernet models	FNF entries	64,000 flows on 24- and 48-port Gigabit Ethernet models
VLAN IDs	4094	Total SVIs	1000
Jumbo frames	9198 bytes	Switching capacity	256 Gbps standalone
Switching capacity with stacking	736 Gbps	Forwarding rate	190.48 Mpps standalone
Forwarding rate with stacking	547.62 Mpps	Dimensions	1.73 x 17.5 x 19.2 in. (4.4 x 44.5 x 48.8 cm)
Weight	17.03 lb (7.72 kg)		

Optional Add-ons

Add-on	Cisco PID	Purpose
Network Module	C9300-NM-2Y	2x25G/10G/1G SFP28 Ports - Catalyst 9300 Module
Network Module	C9300-NM-2Q	2x40G QSFP+ Uplinks - Catalyst 9300 Module
Network Module	C9300-NM-4G	4x1GE SFP Ports - Catalyst 9300 Module
Network Module	C9300-NM-4M	4x10G/mGig Copper Ports - Catalyst 9300 Module
Network Module	C9300-NM-8X	8x10G/1G SFP+ Uplinks - Network Module - Catalyst 9300
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated
Power Supply / Fan	PWR-C1-1900WAC-P	1900W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-25G-SR-S	25GBASE-SR SFP28 - 850nm MMF - 100m OM4
Optics	SFP-10/25G-LR-S	10/25GBASE-LR SFP28 - 10 km G.652 SMF - 0 to 70°C Commercial Temperature
Optics	QSFP-40G-SR4	40G SR4 QSFP - MPO-12 MMF - 4x10G Breakout
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach

Get Price and Availability for C9300-48H-E

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.whatsapp.com/channel/00291111111111111111) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.