

CISCO · CATALYST 9300 SWITCHES

C9300-48U-E

48x1G UPOE Ports · Modular Uplink · 822W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300-48U-E
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300-48U-E

48x1G UPOE Ports · Modular Uplink · 822W PoE Budget

The C9300-48U-E is a Cisco Catalyst 9300 Series stackable access switch for wiring closets that power phones, access points and desk endpoints over Cisco UPOE. The switch has 48 10/100/1000 UPOE ports, a modular uplink slot, an 822W default PoE budget and 256 Gbps of switching capacity.

New, factory-sealed · 3-year LSCare warranty · 14-day returns ·
Cisco SN check before shipment

Ordering note C9300-48U-E is ordered with a mandatory 3-year Cisco DNA Essentials subscription (C9300-DNA-E). We include it in your quote.

Specifications

Product ID	C9300-48U-E	Product type	Stackable access switch with modular uplinks
Network license	Network Essentials	Downlink ports	48 x 10/100/1000 Cisco UPOE copper ports
Uplink architecture	Optional field-replaceable C9300 network module	Network module selection	C9300-NM-8X default selection or another C9300-NM option
Supported network modules	C9300-NM-4G, C9300-NM-8X, C9300-NM-2Q, C9300-NM-2Y, C9300-NM-4M	Default PoE budget	822W for C9300-48U-E
48-port UPOE power supply planning	Two PWR-C1-1100WAC or PWR-C1-1100WAC-P supplies for 60W UPOE power planning	Power supply architecture	One or two internal power supply modules
Fan modules	3 field-replaceable FAN-T2 modules	Stacking architecture	StackWise-480
StackPower	Supported with CAB-SPWR-30CM or CAB-SPWR-150CM cables	Minimum software release	Cisco IOS XE Everest 16.5.1a
Switching capacity	256 Gbps standalone	Switching capacity with stacking	736 Gbps
Forwarding rate	190.48 Mpps standalone	Forwarding rate with stacking	547.62 Mpps
Dimensions	1.73 x 17.5 x 19.2 in. (4.4 x 44.5 x 48.8 cm)	Weight	7.72 kg (17.03 lb)
Power cord selection	Regional power cable must be selected in the order configuration		

Optional Add-ons

Add-on	Cisco PID	Purpose
Network Module	C9300-NM-2Y	2x25G/10G/1G SFP28 Ports - Catalyst 9300 Module
Network Module	C9300-NM-2Q	2x40G QSFP+ Uplinks - Catalyst 9300 Module
Network Module	C9300-NM-4G	4x1GE SFP Ports - Catalyst 9300 Module

Network Module	C9300-NM-4M	4x10G/mGig Copper Ports - Catalyst 9300 Module
Network Module	C9300-NM-8X	8x10G/1G SFP+ Uplinks - Network Module - Catalyst 9300
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated
Power Supply / Fan	PWR-C1-1900WAC-P	1900W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-25G-SR-S	25GBASE-SR SFP28 - 850nm MMF - 100m OM4
Optics	SFP-10/25G-LR-S	10/25GBASE-LR SFP28 - 10 km G.652 SMF - 0 to 70°C Commercial Temperature
Optics	QSFP-40G-SR4	40G SR4 QSFP - MPO-12 MMF - 4x10G Breakout
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach

Get Price and Availability for C9300-48U-E

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)
[View Product Page](#)


Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](tel:+8617181189993) WeChat [layer23-switch](https://www.layer23-switch.com) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.