

CISCO · CATALYST 9300 SWITCHES

C9300L-24P-4X-M

24x1G PoE+ Ports · 4x10G Fixed Uplinks · 505W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300L-24P-4X-M
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300L-24P-4X-M

24x1G PoE+ Ports · 4x10G Fixed Uplinks · 505W PoE Budget

C9300L-24P-4X-M is a Cisco Catalyst 9300L-M fixed-uplink access switch for Meraki-managed campus access deployments.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Specifications

Product ID	C9300L-24P-4X-M	Product type	Fixed-uplink stackable access switch
Software option	Meraki Advanced or Enterprise	Network Stack offer	Not applicable for `-M` in Cisco ordering guide
Meraki license term	1, 3, 5, 7, or 10 years	Minimum software release	Cisco IOS XE 16.11.1b or later for C9300L fixed-uplink models
Access ports	24 x 10/100/1000 Mbps PoE+ copper ports	Uplink ports	4 x 10G/1G SFP+ fixed uplink ports
Modular uplinks	Fixed uplinks built into the SKU	Default power supply	715W AC power-supply class
Default PoE budget	505W with 715W AC power supply	All-port PoE+ planning limit	720W limited by 24 PoE+ ports at 30W each
Power supply slots	2 internal power supply module slots	Stacking architecture	StackWise-320
Stack member limit	Up to 8 Catalyst 9300L or 9300LM fixed-uplink members at the same license level	Switching capacity	128 Gbps standalone
Switching capacity with stacking	448 Gbps	Forwarding rate	95.23 Mpps standalone
Forwarding rate with stacking	333.33 Mpps	MAC addresses	32,000
IPv4 routes	32,000 total with 24,000 direct and 8,000 indirect routes	Packet buffer	16 MB for C9300L 24- and 48-port Gigabit Ethernet models
Flexible NetFlow entries	64,000 flows on C9300L Gigabit Ethernet models	DRAM	8 GB
Flash	16 GB	VLAN IDs	4094
Jumbo frames	9198 bytes	Management mode	Managed through Cisco Meraki Dashboard
Accessory handling	Accessories are ordered separately for Catalyst 9300 switches with the Meraki software option		

Optional Add-ons

Add-on	Cisco PID	Purpose
Power Supply / Fan	PWR-C1-715WAC-P	715W AC PSU - Catalyst 9300 C1 - Platinum Rated
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-SR-X	10GBASE-SR SFP+ - Extended Temp - 400m OM4 MMF
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-10G-LR-X	10GBASE-LR SFP+ - Extended Temp - 10km SMF
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM
Optics	GLC-EX-SMD	1000BASE-EX SFP - 40km SMF - DOM

Get Price and Availability for C9300L-24P-4X-M

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)
[View Product Page](#)


Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](tel:+8617181189993) WeChat [layer23-switch](https://www.layer23-switch.com) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.