

CISCO · CATALYST 9300 SWITCHES

C9300L-24UXG-2Q-E

8xmGig + 16x1G UPOE Ports · 2x40G QSFP+ Uplinks · 722W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300L-24UXG-2Q-E
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300L-24UXG-2Q-E

8xmGig + 16x1G UPOE Ports · 2x40G QSFP+ Uplinks · 722W PoE Budget

The C9300L-24UXG-2Q-E is a Cisco Catalyst 9300L Series fixed-uplink stackable access switch for campus closets that connect 10G-capable access points and Gigabit endpoints. The switch combines 8 multigigabit and 16 Gigabit Cisco UPOE copper ports with two fixed 40G QSFP+ uplinks, a 722W default PoE budget and 352 Gbps of switching capacity.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	C9300L-24UXG-2Q-E	Product type	Fixed-uplink stackable mGig UPOE access switch
Network license	Network Essentials	Cisco software subscription	24-port Essentials term option selected at order time
Downlink ports	8 x mGig plus 16 x 1G copper ports	MGig port speeds	100M, 1G, 2.5G, 5G, and 10G
GbE port speeds	10M, 100M, and 1G	Fixed uplinks	2 x 40G QSFP+ ports
Uplink comparison	2Q profile uses QSFP+ instead of 4X SFP+	PoE standards	Cisco UPOE Type 3 support on C9300L-24UXG-2Q-E
Default PoE budget	722W	Default power supply class	1100W AC power supply
Stacking architecture	StackWise-320	Stack kit options	C9300L-STACK-KIT or C9300L-STACK-KIT2
Breakout support	C9300L-24UXG-2Q-E supports breakout interfaces	Breakout release	Cisco IOS XE Gibraltar 16.12.2
Switching capacity	352 Gbps standalone	Switching capacity with stacking	672 Gbps
Forwarding rate	261.90 Mpps standalone	Forwarding rate with stacking	500.00 Mpps
Dimensions	1.73 x 17.5 x 19.2 in. (4.4 x 44.5 x 48.8 cm)	Weight	7.26 kg (16.01 lb)
Minimum software release	Cisco IOS XE Gibraltar 16.12.2		

Optional Add-ons

Add-on	Cisco PID	Purpose
Power Supply / Fan	PWR-C1-715WAC-P	715W AC PSU - Catalyst 9300 C1 - Platinum Rated
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[View Product Page](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.