Layer23 switch.com

PRODUCT DATASHEET
Revised October 2026

CISCO · CATALYST 9300 SWITCHES

C9300L-48T-4X-A

48x1G Data Ports · 4x10G Fixed Uplinks

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock

Product Model	C9300L-48T-4X-A
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com

Scan for price and stock

200+	18,000+	US$9M+	3-Year
Countries Served	Customers Worldwide	Ready-Stock Inventory	Warranty

CISCO · CATALYST 9300 SWITCHES

C9300L-48T-4X-A

48x1G Data Ports · 4x10G Fixed Uplinks

C9300L-48T-4X-A is a Cisco Catalyst 9300L fixed-uplink stackable access switch for campus access networks that need 48 data-only Gigabit Ethernet copper ports and four fixed 10G/1G SFP+ uplinks.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Ordering note C9300L-48T-4X-A is ordered with a mandatory 3-year Cisco DNA Advantage subscription (C9300-DNA-A). We include it in your quote.

Specifications

Product ID	C9300L-48T-4X-A	**Product type**	Fixed-uplink stackable access switch
Network license	Network Advantage	**Introductory software release**	Cisco IOS XE Gibraltar 16.11.1c
Access ports	48 x 10/100/1000 Mbps data copper ports	**Uplink ports**	4 x 10G/1G SFP+ fixed uplink ports
PoE support	No PoE	**Default power supply**	PWR-C1-350WAC-P
Modular uplinks	No modular uplink slot on C9300L fixed-uplink models	**StackPower support**	Not supported on C9300L fixed-uplink models
Stacking architecture	StackWise-320	**Stacking bandwidth**	320 Gbps
Supported stack members	Catalyst 9300L and 9300LM models with the same license level	**Stack kit options**	C9300L-STACK-KIT or C9300L-STACK-KIT2
Switching capacity	176 Gbps standalone	**Switching capacity with stacking**	496 Gbps
Forwarding rate	130.95 Mpps standalone	**Forwarding rate with stacking**	369.05 Mpps
MAC addresses	32,000	**IPv4 routes**	32,000 total with 24,000 direct and 8,000 indirect routes
Packet buffer	16 MB for C9300L 24- and 48-port Gigabit Ethernet models	**Flexible NetFlow entries**	64,000 flows on C9300L 24- and 48-port Gigabit Ethernet models
DRAM	8 GB	**Flash**	16 GB
VLAN IDs	4094	**Jumbo frames**	9198 bytes
Dimensions	1.73 x 17.5 x 19.2 in. (4.4 x 44.5 x 48.8 cm)	**Weight**	15.41 lb (7.0 kg) with default power supply
Mean time between failures	380,080 hours	**Power supply slots**	2 internal power supply module slots

LAYER23-SWITCH

Optional Add-ons

Add-on	Cisco PID	Purpose
Power Supply / Fan	PWR-C1-350WAC-P	350W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-SR-X	10GBASE-SR SFP+ - Extended Temp - 400m OM4 MMF
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-10G-LR-X	10GBASE-LR SFP+ - Extended Temp - 10km SMF
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM
Optics	GLC-EX-SMD	1000BASE-EX SFP - 40km SMF - DOM

Get Price and Availability for C9300L-48T-4X-A

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

Request a Quote

View Product Page

Email sales@layer23-switch.com WhatsApp +86 171 8118 9993 WeChat layer23-switch Telegram @layer23_switch
Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.