

CISCO · CATALYST 9300 SWITCHES

C9300L-48T-4X-M

48x1G Data Ports · 4x10G Fixed Uplinks

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300L-48T-4X-M
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300L-48T-4X-M

48x1G Data Ports · 4x10G Fixed Uplinks

C9300L-48T-4X-M is a Cisco Catalyst 9300L-M Meraki-managed stackable access switch for campus access deployments that need data-only copper ports with fixed fiber uplinks. Cisco identifies this SKU with 48 x 10/100/1000 Mbps data ports, 4 x 10G/1G SFP+ fixed uplink ports, Meraki Advanced or Enterprise software options, a 350W AC power supply class, and StackWise-320 physical stacking in the C9300L-M family.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	C9300L-48T-4X-M	Product type	Fixed-uplink stackable access switch
Management mode	Cisco Meraki Dashboard	Software option	Meraki Advanced or Enterprise
Meraki license terms	1, 3, 5, 7, or 10 years	Access ports	48 x 10/100/1000 Mbps data copper ports
Uplink ports	4 x 10G/1G SFP+ fixed uplink ports	PoE support	Data-only model with no PoE output
Power supply class	350W AC	Meraki power accessory	PWR-C1-350WAC-P-M
Power cord	Region-specific power cord ordered separately	Stacking architecture	StackWise-320
C9300L-M stack kit	C9300L-STAK-KIT2-M	Stack cable type	Type 3A cable for C9300L-M Stack Kit2 path
Accessory family	C9300L-M stack kit and Type 3A cable options listed for Catalyst 9300L-M models	Switching capacity	176 Gbps standalone
Switching capacity with stacking	496 Gbps	Forwarding rate	130.95 Mpps standalone
Forwarding rate with stacking	369.05 Mpps	Physical stacking capability	320G physical stacking with virtual stacking in the C9300L-M family
Routing capabilities	Static and dynamic routing with DHCP server and relay in the C9300L-M family	Advanced capabilities	Adaptive Policy, Radius Device Sensor, AVC, NBAR2, and Encrypted Traffic Analytics in the C9300L-M family
Optic family	SFP and SFP+ optic accessories supported for Meraki MS switches	Weight	15.41 lb (7.0 kg) for C9300L-48T-4X with default power supply
Platform form factor	1RU access switch platform	Power configuration	Removable PSU configuration in the Catalyst 9300L-M family
Fan accessory	FAN-T2-M listed for Catalyst 9300-M, 9300L-M, and 9300X-M models		

Optional Add-ons

Add-on	Cisco PID	Purpose
Power Supply / Fan	PWR-C1-350WAC-P	350W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-SR	10GBASE-SR SFP+ - 850nm MMF - 400m OM4
Optics	SFP-10G-SR-X	10GBASE-SR SFP+ - Extended Temp - 400m OM4 MMF
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	SFP-10G-LR	10GBASE-LR SFP+ - 1310nm SMF - 10km Reach
Optics	SFP-10G-LR-X	10GBASE-LR SFP+ - Extended Temp - 10km SMF
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM
Optics	GLC-EX-SMD	1000BASE-EX SFP - 40km SMF - DOM

Get Price and Availability for C9300L-48T-4X-M

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](tel:+8617181189993) WeChat [layer23-switch](https://www.whatsapp.com/channel/0025-v3070123456789) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.