

CISCO · CATALYST 9300 SWITCHES

C9300L-48UXG-2Q-A

12x10G mGig + 36x1G UPOE Ports · 2x40G QSFP+ Uplinks · 675W PoE Budget

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9300L-48UXG-2Q-A
Category	Catalyst 9300 Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9300 SWITCHES

C9300L-48UXG-2Q-A

12x10G mGig + 36x1G UPOE Ports · 2x40G QSFP+ Uplinks · 675W PoE Budget

The C9300L-48UXG-2Q-A is a Cisco Catalyst 9300L fixed-uplink stackable UPOE switch for wiring closets that serve multigigabit Wi-Fi access points. The switch has 12 mGig ports at up to 10G, 36 Gigabit copper ports, two fixed 40G QSFP+ uplinks and 472 Gbps of switching capacity, and the default 1100W supply provides 675W of PoE.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	C9300L-48UXG-2Q-A	Product type	Fixed-uplink stackable mGig UPOE access switch
Network license	Network Advantage	Downlink ports	12 x mGig plus 36 x 1G copper ports
MGig port speeds	100M, 1G, 2.5G, 5G, and 10G	GbE port speeds	10M, 100M, and 1G
Uplink ports	2 x 40G QSFP+ fixed uplink ports	Uplink comparison	2Q profile uses QSFP+ instead of 4X SFP+
PoE standards	Cisco UPOE Type 3 support on C9300L-48UXG-2Q-A	Default PoE budget	675W
Default power supply	PWR-C1-1100WAC-P	Power supply role	Default primary power supply
Stacking architecture	StackWise-320	Stack kit options	C9300L-STACK-KIT or C9300L-STACK-KIT2
StackPower support	Catalyst 9300L Series switches do not support StackPower	Breakout interface release	Cisco IOS XE Gibraltar 16.12.2 for C9300L-48UXG-2Q-A
Switching capacity	472 Gbps standalone	Switching capacity with stacking	792 Gbps
Forwarding rate	351.19 Mpps standalone	Forwarding rate with stacking	589.28 Mpps
Weight	7.65 kg (16.86 lb) with default power supply	Mean time between failures	275,010 hours

Optional Add-ons

Add-on	Cisco PID	Purpose
Power Supply / Fan	PWR-C1-1100WAC-P	1100W AC PSU - Catalyst 9300 C1 - Platinum Rated
Optics	QSFP-40G-SR4-S	40G SR4 S-Class QSFP - MPO-12 MMF - No Breakout
Optics	QSFP-40G-SR4	40G SR4 QSFP - MPO-12 MMF - 4x10G Breakout
Optics	QSFP-40G-SR-BD	40G SR-BiDi QSFP - LC MMF - 150m OM4

Get Price and Availability for C9300L-48UXG-2Q-A

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](#) Telegram [@layer23_switch](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH