

CISCO · CATALYST 9400 SWITCHES

# C9407R-96U-BNDL-A

96x1G UPOE Ports · 2880W PoE Budget per Slot · DNA Advantage

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



|               |                                                                                     |
|---------------|-------------------------------------------------------------------------------------|
| Product Model | C9407R-96U-BNDL-A                                                                   |
| Category      | Catalyst 9400 Switches                                                              |
| Condition     | New, factory-sealed                                                                 |
| Warranty      | 3-year LSCare warranty                                                              |
| Supplier      | Layer23-Switch · <a href="http://www.layer23-switch.com">www.layer23-switch.com</a> |



Scan for price and stock

**200+**

Countries Served

**18,000+**

Customers Worldwide

**US\$9M+**

Ready-Stock Inventory

**3-Year**

Warranty



CISCO · CATALYST 9400 SWITCHES

# C9407R-96U-BNDL-A

96x1G UPOE Ports · 2880W PoE Budget per Slot · DNA Advantage

The C9407R-96U-BNDL-A is a Cisco Catalyst 9400 Series modular access switch bundle for high-density campus wiring closets that power phones, access points and cameras. The 7-slot C9407R chassis has five line-card slots, two supervisor slots, eight power supply bays and 10 RU of height, and its two C9400-LC-48U line cards provide 96 10/100/1000 RJ-45 ports with UPOE up to 60 W each.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

## Specifications

|                            |                                                                                                                          |                                              |                                                                               |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------------------------|
| Product ID                 | C9407R-96U-BNDL-A                                                                                                        | Product type                                 | Modular access switch bundle                                                  |
| Cisco ordering description | Catalyst 9400 Series 7 slot, Sup, 2xC9400-LC-48U, DNA-A LIC                                                              | Network license                              | Cisco DNA Advantage                                                           |
| Chassis                    | C9407R                                                                                                                   | Chassis slots                                | 7 total slots                                                                 |
| Line-card slots            | 5 slots                                                                                                                  | Supervisor engine slots                      | 2 slots                                                                       |
| Dedicated supervisor slots | Slots 3 and 4                                                                                                            | Supported supervisor in SKU sheet            | C9400-SUP-1                                                                   |
| Supervisor redundancy      | Yes                                                                                                                      | Included line cards                          | 2 x C9400-LC-48U                                                              |
| Included access ports      | 96 RJ-45 ports                                                                                                           | Downlink speeds                              | 10/100/1000 Mbps                                                              |
| PoE standards              | PoE, PoE+, and Cisco UPOE                                                                                                | Cisco UPOE per-port power                    | Up to 60 W per port                                                           |
| PoE per C9400-LC-48U slot  | 2880W                                                                                                                    | Maximum line-card slot bandwidth scalability | Up to 480 Gbps                                                                |
| Power supply slots         | 8 bays                                                                                                                   | Power supply option in SKU sheet             | 3200W AC                                                                      |
| AC input power             | Yes                                                                                                                      | Integrated PoE                               | Yes                                                                           |
| Fan tray bays              | 1 bay                                                                                                                    | 19-inch rack-mount position                  | Front                                                                         |
| Dimensions                 | 17.41 x 17.30 x 16.30 in. (44.22 x 43.94 x 41.40 cm)                                                                     | Rack units                                   | 10 RU                                                                         |
| Weight                     | 28.58 kg (63.0 lb), with fan tray                                                                                        | Mounting                                     | 19-inch rack compatible                                                       |
| Power supply selection     | C9400-PWR-3200AC 3200W AC, C9400-PWR-2100AC 2100W AC, or C9400-PWR-3200DC 3200W DC selected during chassis configuration | PoE power budget                             | Configuration-dependent; C9400-LC-48U supports up to 2880W per line-card slot |
| Expanded PoE budget        | Up to 2880W per C9400-LC-48U line-card slot with selected C9400 power supply configuration                               |                                              |                                                                               |

## Optional Add-ons

| Add-on             | Cisco PID               | Purpose                                                                    |
|--------------------|-------------------------|----------------------------------------------------------------------------|
| Network Module     | <b>C9400-LC-48H</b>     | 48x 10/100/1000 RJ-45 UPOE+ Ports - 90W Per Port - Catalyst 9400 Line Card |
| Network Module     | <b>C9400-LC-48P</b>     | 48x1G RJ-45 - PoE+ 30W - Catalyst 9400 Line Card                           |
| Network Module     | <b>C9400-LC-48T</b>     | 48x1G RJ-45 - Data Only - Catalyst 9400 Line Card                          |
| Network Module     | <b>C9400-LC-48U</b>     | 48x1G RJ-45 - Cisco UPOE 60W - Catalyst 9400 Line Card                     |
| Network Module     | <b>C9400-LC-12QC</b>    | 12x 40G QSFP+ or 4x 100G QSFP28 Ports - Supervisor 2 Required - Cat        |
| Network Module     | <b>C9400-LC-24XS</b>    | 24x 10G SFP+ or 1G SFP Ports - All Supervisors - Catalyst 9400 Line        |
| Network Module     | <b>C9400-LC-24XY</b>    | 20x 25G SFP28 + 4x 10G SFP+ Ports - Supervisor 2 Required - Cat            |
| Network Module     | <b>C9400-LC-48S</b>     | 48x 1G SFP Fiber Ports - Nonblocking - Catalyst 9400 Line Card             |
| Power Supply / Fan | <b>C9400-PWR-3200AC</b> | 3200W AC PSU - Catalyst 9400 - Platinum                                    |
| Power Supply / Fan | <b>C9400-PWR-2100AC</b> | 2100W AC PSU - Catalyst 9400 - Platinum Rated                              |
| Power Supply / Fan | <b>C9400-PWR-3200DC</b> | 3200W DC Power Supply - Catalyst 9400                                      |

## Get Price and Availability for C9407R-96U-BNDL-A

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email [sales@layer23-switch.com](mailto:sales@layer23-switch.com) WhatsApp +86 171 8118 9993 WeChat [layer23-switch](#) Telegram [@layer23\\_switch](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.