

CISCO · SWITCHES

C9610-LC-32CD

30x100G QSFP28 Ports · 2x400G QSFP-DD Ports · C9610R Line Card

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	C9610-LC-32CD
Category	Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · SWITCHES

C9610-LC-32CD

30x100G QSFP28 Ports · 2x400G QSFP-DD Ports · C9610R Line Card

The C9610-LC-32CD is a Cisco C9610 Series Smart Switches combo line card for C9610R chassis that need 100G aggregation with 400G uplink options. The card has 30 QSFP28 ports at 100G or 40G and 2 QSFP-DD ports at 400G, 100G or 40G (200G is hardware-ready and depends on optic availability), with 6.4 Tbps per slot and 495 W of AC input power.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	C9610-LC-32CD	Product type	Combo line card
Cisco ordering description	Cisco C9610 Series Smart Switches combo line card	Ordering form	C9610-LC-32CD (=)
Native chassis	Cisco C9610R	Supervisor compatibility	C9610-SUP-3 and C9610-SUP-3XL
Supported line-card slots	Slots 1, 2, 3, 4, 7, 8, 9, and 10	Bandwidth per slot	6.4 Tbps per slot; 3.2 Tbps full-duplex
QSFP28 ports	30 ports supporting 100G/40G	QSFP-DD ports	2 ports supporting 400G/100G/40G; 200G is hardware-ready and depends on optic availability
Cisco ordering port profile	30 ports 100/40G QSFP28; 2 ports 400/200/100G QSFP-DD	Documented 100G mode	100G connectivity on all 32 ports
Documented 400G mode 1	100G connectivity on 28 ports and 1 x 400G on the QSFP-DD port in a port group	Documented 400G mode 2	100G connectivity on 24 ports and 2 x 400G on the QSFP-DD ports in both port groups
Minimum software release	Cisco IOS XE 17.18.1	Optics requirement	Cisco-supported pluggable optics required for fiber-optic line-card operation
AC-input power	495 W	DC-output power requested	450 W
Current at 90V	5.6 A	Current at 120V	4.2 A
Current at 180V	2.8 A	Current at 240V	2.1 A
Heat dissipation	1,689 BTU/hr	Weight	6.1 kg (13.45 lb)

Get Price and Availability for C9610-LC-32CD

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](#) Telegram [@layer23_switch](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH