

CISCO · FIREWALLS

FPR1120-ASA-K9

4.5G ASA Firewall · 8xRJ45 4xSFP · 1RU 1120

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	FPR1120-ASA-K9
Category	Firewalls
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · FIREWALLS

FPR1120-ASA-K9

4.5G ASA Firewall · 8xRJ45 4xSFP · 1RU 1120

FPR1120-ASA-K9 is a Cisco Firepower 1120 ASA firewall appliance in the Firepower 1000 Series for branch, internet-edge, or security-services deployments that standardize on Cisco ASA software.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	FPR1120-ASA-K9	Product Type	Cisco Firepower 1120 ASA firewall appliance
Firewall Model	Firepower 1120	Security Software Role	Cisco ASA software
Form Factor	1RU rack mount	Fixed RJ-45 Ports	8 x RJ-45
Fixed SFP Ports	4 x SFP	Management Port	1 x 1000BASE-T management port
Console Interfaces	RJ-45 serial console and USB Mini B serial console	USB Port	1 x USB 3.0 Type-A
Storage	1 x 200 GB 2.5-in SATA SSD	Airflow	I/O side to non-I/O side
Fan Modules	1 fixed fan	Power Supply	1 fixed internal AC power supply
Power Redundancy	No redundant power supply option listed	AC Input Voltage	100 to 240V AC
AC Frequency	50 to 60 Hz	AC Maximum Power Draw	100 W
AC Current	Less than 2 A at 100V; less than 1 A at 240V	Rack Mounting	2-post brackets included
Weight	8 lb (3.6 kg)	Operating Temperature	32 to 104F (0 to 40C)
Operating Humidity	90% noncondensing	Operating Altitude	9843 ft (3000 m) maximum
Fixed SFP Release Baseline	Threat Defense 6.4 or ASA 9.15 for listed SFPs	Supported Fixed SFPs	GLC-TE, GLC-SX-MMD, GLC-LH-SMD, GLC-EX-SMD, GLC-ZX-SMD
High Availability	Active/active and active/standby	Stateful Inspection Firewall Throughput	4.5 Gbps
Multiprotocol Firewall Throughput	2.5 Gbps	Concurrent Firewall Connections	200000
New Connections Per Second	75000	IPsec VPN Throughput	1 Gbps
Maximum VPN Peers	150	Security Contexts	2 included; 5 maximum
Local ASA Management	Adaptive Security Device Manager	ASA Centralized Management	Cisco Security Manager or Cisco Defense Orchestrator
Required ASA License	Essentials license L-FPR1000-ASA=		

Optional Add-ons

Add-on	Cisco PID	Purpose
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM

Get Price and Availability for FPR1120-ASA-K9

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.whatsapp.com/channel/00299a60000000000000000000000000) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.