

CISCO · FIREWALLS

FPR1150-NGFW-K9

5.3G FTD NGFW Firewall · 8xRJ45 2xSFP 2xSFP+ · 1RU 1150

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	FPR1150-NGFW-K9
Category	Firewalls
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · FIREWALLS

FPR1150-NGFW-K9

5.3G FTD NGFW Firewall · 8xRJ45 2xSFP 2xSFP+ · 1RU 1150

FPR1150-NGFW-K9 is a Cisco Firepower 1150 NGFW firewall appliance for Firewall Threat Defense deployments in the Firepower 1000 Series. It fits branch, internet-edge, and security-services roles that need fixed firewall hardware with eight RJ-45 ports, two SFP ports, two 10G SFP+ ports, a dedicated 1000BASE-T management port, 200 GB SATA SSD storage, and a 1RU chassis with fixed AC power and fixed internal cooling.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	FPR1150-NGFW-K9	Product Type	Cisco Firepower 1150 NGFW appliance
Firewall Model	Firepower 1150	Security Software Role	Firewall Threat Defense software with optional subscriptions
Form Factor	1RU rack mount	Fixed RJ-45 Ports	8 x RJ-45
Fixed Optical Ports	2 x SFP and 2 x 10G SFP+	Management Port	1 x 1000BASE-T management port
Console Interfaces	RJ-45 serial console and USB Mini B serial console	USB Port	1 x USB 3.0 Type-A
Storage	1 x 200 GB 2.5-in SATA SSD	Airflow	I/O side to non-I/O side
Fan Modules	1 fixed internal fan	Power Supply	1 fixed internal AC power supply
Power Redundancy	No redundant power supply option listed	AC Input Voltage	100 to 240V AC
AC Frequency	50 to 60 Hz	AC Maximum Power Draw	100 W
AC Maximum Current Draw	Less than 2 A at 100V; less than 1 A at 240V	Rack Mounting	2-post mounting brackets included
Weight	8 lb (3.6 kg)	Operating Temperature	32 to 104F (0 to 40C)
Operating Humidity	90% noncondensing	Operating Altitude	9843 ft (3000 m) maximum
Fixed SFP Release Baseline	Threat Defense 6.4 or ASA 9.15 for listed SFPs	Supported Fixed 1G SFPs	GLC-TE, GLC-SX-MMD, GLC-LH-SMD, GLC-EX-SMD, GLC-ZX-SMD
Supported Fixed 10G Options	SFP-10G-SR, SFP-10G-SR-S, SFP-10G-LR, SFP-10G-LR-S, SFP-10G-ER, SFP-10G-ER-S, SFP-H10GB-CUxM, SFP-H10GB-ACUxM, SFP-10G-AOCxM	Cisco Device Manager	Local management supported
Centralized Management	Firewall Management Center or Cisco Defense Orchestrator	FW + AVC Throughput	5.3 Gbps
FW + AVC + IPS Throughput	4.9 Gbps	NGIPS Throughput	6.1 Gbps
TLS Throughput	1.4 Gbps	Concurrent Sessions with AVC	600000
New Connections with AVC	28000 per second	IPsec VPN Throughput	2.4 Gbps

Maximum VPN Peers	800	High Availability	Active/standby
AVC Support	Standard		

Optional Add-ons

Add-on	Cisco PID	Purpose
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM

Get Price and Availability for FPR1150-NGFW-K9

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.whatsapp.com/channel/0025-v3070-17181189993) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.