

CISCO · FIREWALLS

FPR3110-ASA-K9

18G ASA Firewall · 8xRJ45 8x1/10G SFP · 1RU 3110

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	FPR3110-ASA-K9
Category	Firewalls
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · FIREWALLS

FPR3110-ASA-K9

18G ASA Firewall · 8xRJ45 8x1/10G SFP · 1RU 3110

The FPR3110-ASA-K9 is a Cisco Secure Firewall 3110 ASA appliance for branch, internet-edge and data center perimeters that run Cisco Secure ASA software. The 1RU firewall is rated at 18.0 Gbps of stateful inspection throughput on 1500B UDP and 15.0 Gbps of multiprotocol throughput, with 2 million concurrent connections, 3,000 VPN peers, 8 RJ-45 ports, 8 1/10G SFP ports and one network module slot.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	FPR3110-ASA-K9	Product type	Cisco Secure Firewall 3110 ASA appliance
Fixed RJ-45 ports	8 x 10M/100M/1GBASE-T Ethernet interfaces	Fixed SFP ports	8 x 1/10 Gigabit Ethernet SFP interfaces
Maximum Ethernet ports	Up to 24 total Ethernet ports with network module	Network module slot	One removable network module slot named NM-2
3110 optional interface profile	8 x 1/10G network module options	Fixed port first supported release	Threat Defense 7.1 / ASA 9.17 for 3110 fixed SFP/SFP+ ports
Multiprotocol firewall throughput	15 Gbps	IPsec VPN throughput	8 Gbps
SSD storage	1 x 900 GB SSD with 1 spare slot	Firewall model	Secure Firewall 3110
Minimum ASA introduction	ASA 9.17(1) introduced ASA for Secure Firewall 3110	New connections per second	300000
Projected IPsec VPN with offload	12 Gbps with ASA 9.18	Security contexts	2 included; 100 maximum
Clustering	8 chassis	Sound pressure	65 dBA typical; 74 dBA maximum
Maximum VPN peers	3000	Stateful inspection firewall throughput	18 Gbps
High availability	Active/active and active/standby	Management port	1 x 1/10G SFP management port
Console port	1 x RJ-45 serial console	USB port	1 x USB 3.0 Type-A port
ASA centralized management	Cisco Security Manager or Cisco Defense Orchestrator	Local management	Adaptive Security Device Manager
Security software role	Cisco Secure ASA	Power supply configuration	Single 400W AC; dual 400W AC optional; DC optional
Power redundancy	1+1 AC or DC with dual supplies	Power supply order note	Order an extra power supply for redundant power
AC input voltage	100 to 240V AC	DC input voltage	-48V to -60VDC
Concurrent firewall connections	2 million	AC maximum output power	400W

DC maximum output power	400W	Fan modules	2 hot-swappable dual fan modules
Airflow	Front to rear; I/O side to non-I/O side	Rack units	1RU
Dimensions	1.75 x 17 x 20 in. (4.4 x 43.3 x 50.8 cm)	Operating temperature	32 to 104F (0 to 40C)
Operating altitude	10000 ft maximum		

Optional Add-ons

Add-on	Cisco PID	Purpose
Optics	SFP-10G-SR-S	10GBASE-SR SFP+ - S-Class - 400m OM4 MMF
Optics	SFP-10G-LR-S	10GBASE-LR SFP+ - S-Class - 10km SMF
Optics	GLC-LH-SMD	1000BASE-LX/LH SFP - 10km SMF / 550m MMF - DOM
Optics	GLC-TE	1000BASE-T SFP - RJ-45 Cat5 Copper - 100m Reach
Optics	GLC-SX-MMD	1000BASE-SX SFP - MMF 850nm - DOM

Get Price and Availability for FPR3110-ASA-K9

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.layer23-switch.com) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.