

CISCO INDUSTRIAL ETHERNET SWITCHES

IE-3000-8TC

8x10/100 Ports · 2xDual-Purpose Uplinks · LAN Base

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	IE-3000-8TC
Category	Cisco Industrial Ethernet Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO INDUSTRIAL ETHERNET SWITCHES

IE-3000-8TC

8x10/100 Ports · 2xDual-Purpose Uplinks · LAN Base

IE-3000-8TC is a Cisco Industrial Ethernet 3000 Series switch for rugged Layer 2 access in factory automation and other industrial Ethernet environments, with eight 10/100BASE-T access ports and two dual-purpose uplinks that support either 10/100/1000 copper or SFP fiber on each uplink position.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Specifications

SKU	IE-3000-8TC	Device type	Industrial Ethernet switch
Software image	Layer 2 LAN Base Image	Access ports	8 x 10/100BASE-T Ethernet
Dual-purpose uplinks	2 x 10/100/1000 copper or SFP fiber uplinks, one active media side per uplink	Expansion support	Up to two Cisco IE 3000 expansion modules with supported combinations
DC input range	18-60 VDC	Maximum power consumption	15.7 W
Power rating	0.05 kVA	Switching fabric	16 Gbps
Forwarding rate	6.5 Mpps with 64-byte packets	DRAM	128 MB
Compact Flash memory	64 MB	Layer 2 MAC addresses	Configurable up to 8000 MAC addresses
Layer 2 multicast groups	Configurable up to 256 IGMP multicast groups	Jumbo frame support	Up to 9018 bytes on Gigabit uplink port
SFP support	100BASE-FX, 100BASE-LX10, 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-ZX, and supported BX/CWDM/DWDM options	Connectors	RJ-45 for copper ports and LC connectors for listed SFP-based fiber ports
Cooling design	Fanless switch design with convection cooling	Mounting options	DIN rail, wall, and 19 in rack mount options
Dimensions	6.0 in W x 5.8 in H x 4.4 in D (152 x 147 x 112 mm)	Weight	4.4 lb (2.0 kg)
Operating temperature	-40C to +75C	Operating humidity	10% to 95% non-condensing
MTBF	329,451 hours		

Get Price and Availability for IE-3000-8TC

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](#) Telegram [@layer23_switch](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH