


CISCO IE SWITCH MODULES & CARDS

IEM-3300-6T2S

6x1G Copper Ports · 2x1G SFP Ports · IE3300 Module

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	IEM-3300-6T2S
Category	Cisco IE Switch Modules & Cards
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO IE SWITCH MODULES & CARDS

IEM-3300-6T2S

6x1G Copper Ports · 2x1G SFP Ports · IE3300 Module

IEM-3300-6T2S is a Cisco Catalyst IE3300 Rugged Series expansion module that adds mixed Gigabit Ethernet copper and SFP connectivity to supported industrial switch base systems. It provides 8 expansion-module ports, with 6 100/1000Mbps RJ45 copper ports and 2 100/1000Mbps SFP ports, and Cisco lists the module for IE3300 base systems and for IE3400 base switches with the documented SGT/SGACL caveat.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Specifications

Product ID	IEM-3300-6T2S	Cisco ordering PID	IEM-3300-6T2S=
Product type	Mixed copper and SFP expansion module	Cisco ordering description	Catalyst IE3300 with 6GE Copper + 2GE SFP, Expansion Module
Total ports on expansion module	8	Copper RJ45 ports	6 x 100/1000Mbps
SFP ports	2 x 100/1000Mbps	PoE/PoE+ ports	0 listed for this module
90W PoE support	No	Advanced hardware features	No
Total system ports	18 including expansion module	Module power consumption	9W
Compatible IE3300 base systems	IE-3300-8T2C, IE-3300-8P2S, IE-3300-8T2X, IE-3300-8U2X	Compatible IE3400 base systems	IE-3400-8T2S, IE-3400-8P2S
IE3400 attachment note	IE3300 expansion modules can be used with IE3400 base switches with SGT/SGACL caveat	Expansion-module limit	One expansion module at a time
Hot-swap support	Not hot-swappable	Installation handling	Do not attach an expansion module while the switch is energized
Dimensions	6 x 2.6 x 5.3 in. / 15.2 x 6.6 x 13.5 cm	Weight	2.0 lb / 0.91 kg
Mounting	DIN rail	MTBF	3,729,130 hours
Copper cable guidance	Category 5 or higher for 1000BASE-T-compatible devices	SFP planning	Use Cisco-supported SFP modules and matching fiber cabling

[Request a Quote](#)[View Product Page](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.