

CISCO · NEXUS 9000 SERIES SWITCHES

N9K-C92348GC-X

48x100M/1G Base-T · 4x25G SFP28 + 2x100G QSFP28

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	N9K-C92348GC-X
Category	Nexus 9000 Series Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · NEXUS 9000 SERIES SWITCHES

N9K-C92348GC-X

48x100M/1G Base-T · 4x25G SFP28 + 2x100G QSFP28

The N9K-C92348GC-X is a Cisco Nexus 9200 Series 1RU fixed data center switch for gigabit copper server access and management networks. The switch has 48 100M/1G Base-T downlink ports, four 1/10/25G SFP28 ports and two 40/100G QSFP28 ports, with 0.696 Tbps of bandwidth and a 40 MB shared buffer.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Specifications

Product ID	N9K-C92348GC-X	Product type	Fixed 1RU data center switch
Port configuration	48 x 100M/1G Base-T, 4 x 1/10/25G SFP28, 2 x 40/100G QSFP28	Downlink ports	48 x 100M/1G Base-T
SFP28 ports	4 x 1/10/25G	QSFP28 ports	2 x 40/100G
Bandwidth	0.696 Tbps	Shared system buffer	40 MB
CPU	4 cores	DRAM	8 GB
SSD	16 GB	Management port	1 RJ-45 and 1 SFP
USB port	1	RS-232 serial ports	1
Power supply selection	N2200-PAC-400W 400W AC, N2200-PAC-400W-B 400W AC, N2200-PDC-400W 400W DC, N2200-PDC-350W-B 350W DC, NXA-PHV-500W 500W PHV, or NXA-PHV-500W-B 500W PHV selected by airflow and input type	Power supply options	400W AC, 400W DC, 350W DC, or 500W PHV airflow-specific options
Typical AC power	150 W	Maximum AC power	245 W
AC input voltage	100 to 240 V	Fan modules	3
Airflow options	Port-side intake and port-side exhaust	Dimensions	1.72 x 17.3 x 18.5 in. (4.4 x 43.9 x 45.7 cm)
Weight without power supplies or fans	6.4 kg (14.12 lb)	Operating temperature	32 to 104F (0 to 40C)
Operating altitude	0 to 13123 ft (0 to 4000 m)	MTBF	474,571 hours
Rack airflow sleeve depth	636.49 mm minimum and 748.25 mm maximum		

Get Price and Availability for N9K-C92348GC-X

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.whatsapp.com/channel/00299a60000000000000000000000000) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH