

CISCO · CATALYST 9000 SWITCH POWER SUPPLY

PWR-C5-1KWAC

1KW AC PSU · Catalyst 9200L 48-Port PoE

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	PWR-C5-1KWAC
Category	Catalyst 9000 Switch Power Supply
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty



CISCO · CATALYST 9000 SWITCH POWER SUPPLY

PWR-C5-1KWAC

1KW AC PSU · Catalyst 9200L 48-Port PoE

PWR-C5-1KWAC is a Cisco Catalyst 9200 Series 1 kW AC Config 5 power supply module for supported Catalyst 9200 and Catalyst 9200L 48-port PoE switches. It provides the AC power module role for C9200-48P, C9200-48PB, C9200-48PXG, and listed C9200L 48-port PoE models, with Cisco-documented 740W available PoE when one AC supply is installed and 1440W with a second AC supply on those platforms.

New, factory-sealed · [3-year LSCare warranty](#) · [14-day returns](#) · [Cisco SN check before shipment](#)

Specifications

Product ID	PWR-C5-1KWAC	Cisco ordering form	PWR-C5-1KWAC (=)
Secondary PSU option	PWR-C5-1KWAC/2	Product type	AC power supply module
Cisco description	1KW AC Config 5 Power Supply	Compatible C9200L 48-port PoE models	C9200L-48P-4G, C9200L-48P-4X, C9200L-48PXG-4X, and C9200L-48PXG-2Y
Compatible C9200 48-port PoE models	C9200-48P, C9200-48PB, and C9200-48PXG	C9200L C6 boundary	C6 1KW variant not supported on C9200L
C5 and C6 note for C9200 models	No functional difference on C9200-48P, C9200-48PB, and C9200-48PXG	Rated maximum output	1000W
Total output BTU	3412 BTU/hr, 1000W	Input voltage and frequency	100 to 240 VAC, 50 to 60 Hz
Input current	12-6A	Output rating	54V at 16.5A
Output holdup time	20 ms minimum at 100 VAC	Input receptacle	IEC 320-C16
Power cord rating	15A	Physical dimensions	1.58 x 4.0 x 7.6 in. (H x W x D)
Weight	2 lb (0.9 kg)	Power supply slots	Two internal power supply slots on Catalyst 9200 switch chassis
Slot population rule	Each power supply slot must contain a power supply or a blank cover	FRU behavior	Main module field replaceable; redundant module hot-swappable
Power module fan note	All power supply modules except blank modules have internal fans	Available PoE with one AC PSU	740W on listed 48-port PoE models
Available PoE with second AC PSU	1440W on listed 48-port PoE models		

Get Price and Availability for PWR-C5-1KWAC

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[Request a Quote](#)

[View Product Page](#)



Email sales@layer23-switch.com WhatsApp [+86 171 8118 9993](https://wa.me/8617181189993) WeChat [layer23-switch](https://www.whatsapp.com/channel/00299a60000000000000000000000000) Telegram [@layer23_switch](https://t.me/layer23_switch)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.

LAYER23-SWITCH