

CISCO · SWITCHES

PWR-IE50W-AC-L

50W AC PSU · 24VDC Output · DIN-Rail

New, factory-sealed · 3-year LSCare warranty · Ships from Hong Kong and US stock



Product Model	PWR-IE50W-AC-L
Category	Switches
Condition	New, factory-sealed
Warranty	3-year LSCare warranty
Supplier	Layer23-Switch · www.layer23-switch.com



Scan for price and stock

200+

Countries Served

18,000+

Customers Worldwide

US\$9M+

Ready-Stock Inventory

3-Year

Warranty

Layer23
switch.com



CISCO · SWITCHES

PWR-IE50W-AC-L

50W AC PSU · 24VDC Output · DIN-Rail

PWR-IE50W-AC-L is a Cisco industrial DIN-rail 50W AC-to-DC hardwired power supply for supported industrial Ethernet switch power inputs. It provides 24VDC adjustable output at 24-28VDC and 2.1A, supports AC 90-264V input, and stays in the no-PoE Lite AC profile for cabinets that need a compact IP20 24VDC supply rather than a PoE power source.

New, factory-sealed · 3-year LSCare warranty · 14-day returns · Cisco SN check before shipment

Specifications

Product ID	PWR-IE50W-AC-L	Cisco ordering part	PWR-IE50W-AC-L=
Product type	50W AC-to-DC power supply	Ordering description	50W AC to DC power supply
Input connection type	Hardwired	PoE support	No
Rated nominal input	AC 100-240V/1.2A, 50-60Hz	Supported input range	AC 90-264V
Typical efficiency	88%	Inrush current	<35A at 115VAC and 70A at 230VAC
Output rating	24VDC / 24-28VDC, 2.1A	Maximum output power	50W
Holdup time at 100% load	20ms	Protections	Over temperature protection; short circuit protection
IP rating	IP20	Operating temperature	-20C to +70C
Storage temperature	-40C to +85C	Power derating	>55C de-rate by 3.33% per C; <-10C de-rate by 2% per C
Operating humidity	5 to 95% RH, non-condensing	Dimensions	30 x 75 x 89.5 mm; 1.18 x 2.95 x 3.52 in.
Unit weight	0.39 lb (0.18 kg)	MTBF	2,255,613 hours
Hazardous-location status	Not approved for hazardous location installations	Safety entries	CE, UL/cUL to UL 60950-1, UL/cUL to UL 62368-1, UL/cUL to UL 508, CB scheme to IEC 60950-1, NEC Class 2
EMC entries	EN 61000-3-2 Class A, EN 61000-3-3, EN 61000-6-1, EN 61000-6-2, EN 61000-6-3, EN 61000-6-4, CISPR 32, EN 55032, CISPR 11, EN 55011, FCC 47 CFR part 15B	Listed platform context	Cisco IE 1000, IE 2000, Catalyst IE3100, Catalyst IE3400, IE3500, and IE4000 power-supply tables list PWR-IE50W-AC-L=

New, factory-sealed units with a 3-year warranty. Our sales team quotes within one business day, and in-stock orders ship within one business day of payment from our Hong Kong and US warehouses.

[View Product Page](#)

Address 2810 North Church Street, Suite 89727, Wilmington, DE 19802, USA

Cisco and Cisco product names are trademarks of Cisco Systems, Inc. Specifications are summarized from manufacturer documentation for reference; confirm the exact configuration with Layer23-Switch before ordering. Revised October 2026.